

Order no.: 036356

Step straight ladder GRP  
without traverse

Number of steps

- 6
- 8
- 10
- 12
- 14



Specification

Working height <b>2.7 m</b>	Step design <b>Steps</b>	Number of steps/rungs <b>6 steps</b>	Step width <b>370 mm</b>	Step depth <b>80 mm</b>
Step/Rung distance <b>235 mm</b>	Ladder length <b>1.67 m</b>	Inclination <b>70 °</b>	Outer width <b>420 mm</b>	Depth of side-rails <b>73 mm</b>
Width of side-rails <b>25 mm</b>	Max. load capacity <b>150 kg</b>	Design type <b>To lean against</b>	Weight <b>6.6 kg</b>	Transport dimensions <b>1670 x 421 x 75 mm, 6.6 kg</b>
Business division <b>MUNK Günzburger Steigtechnik</b>	Article no. <b>036356</b>	Price <b>€ 380.00</b>		

Facts

- Step straight ladder made of GRP
- Side-rails and steps made of glass-fibre reinforced plastic profiles (min. 10 years ageing resistance when stored and used as intended)
- Grooved steps with a depth of 80 mm
- Without fillers
- High-strength step-to-side-rail connection

- Step spacing: 235 mm
- Ladder width: 420 mm (without stabiliser)
- Maximum load: 150 kg
- Ladder inclination: 70°
- Tested to EN 61478:2002 + A1 (2004), 6.5.1  
Category 2: 60,000 V
- Note: Products with GRP content are excluded from exchange due to their sensitivity, the statutory warranty applies (resistance to ageing 10 years).

### Scope of supply

- Ladder: 1 x
- Stabiliser (enclosed separately): 1 x

### Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



## Added value

---

### Fiberglass

Ladders made of GFRP offer the perfect properties for special challenges. [Find out](#) what makes GFRP such a special material, how we use it for ladders and where these ladders are used.











### nivello® stabiliser

Extra safe, standards-compliant ascent for straight ladders over 3.0 m

- Extra wide stabiliser for even greater stability
- nivello® ladder shoes with patented 2-axis inclination technology, integrated work angle check and exchangeable foot plates
- Individually available as spare part



## Accessories

 <p>Order no.: 030373</p> <p>Retrofit stabiliser 0.93 m for glass-fibre reinforced plastic ladders</p>	 <p>Order no.: 019287</p> <p>Tool bag</p>	 <p>Order no.: 019213</p> <p>nivello® foot plate for gratings 126 x 89 mm</p>	 <p>Order no.: 019211</p> <p>nivello® foot plate for smooth surfaces</p>	 <p>Order no.: 019224</p> <p>nivello® foot plate, claw</p>
 <p>Order no.: 019209</p> <p>nivello® foot plate, standard</p>	 <p>Order no.: 019176</p> <p>Inventory sticker</p>	 <p>Order no.: 019175</p> <p>Inspection sticker</p>		

## Spare parts



Order no.: 019206

nivello® inside shoe

Corporate certifications

---

on sustainability criteria

