



Order no.: 036372

Step straight ladder GRP
with traverse

Number of steps

12

14

Specification

| | | | | |
|--|--|--|---------------------------------------|-----------------------------------|
| Working height 4.1 m | Step design Steps | Number of steps/rungs 12 steps | Step width 370 mm | Step depth 80 mm |
| Step/Rung distance 235 mm | Ladder length 3.17 m | Inclination 70 ° | Outer width 420 mm | Stabiliser width 930 mm |
| Depth of side-rails 73 mm | Width of side-rails 25 mm | Max. load capacity 150 kg | Design type To lean against | Weight 14.5 kg |
| Transport dimensions 3168 x 421 x 74 mm, 14.5 kg | Business division MUNK Günzburger Steigtechnik | Article no. 036372 | Price € 779.00 | |

Facts

- Step straight ladder made of GRP
- Side-rails and steps made of glass-fibre reinforced plastic profiles (min. 10 years ageing resistance when stored and used as intended)
- Grooved steps with a depth of 80 mm
- Without fillers
- High-strength step-to-side-rail connection

- Step spacing: 235 mm
- Ladder width: 420 mm (without stabiliser)
- Stabiliser made of reinforced fibre glass with non-slip ladder shoes in optimal width for the selected product
- Maximum load: 150 kg
- Ladder inclination: 70°
- Tested to EN 61478:2002 + A1 (2004), 6.5.1
Category 2: 60,000 V
- Note: Products with GRP content are excluded from exchange due to their sensitivity, the statutory warranty applies (resistance to ageing 10 years).

Scope of supply

- Ladder: 1 x
- Stabiliser (enclosed separately): 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Added value

Fiberglass

Ladders made of GFRP offer the perfect properties for special challenges. [Find out](#) what makes GFRP such a special material, how we use it for ladders and where these ladders are used.




The movable ladder shoe sets new standards in stability

[Learn more](#)




Accessories



Order no.: 019287

Tool bag



Order no.: 019176

Inventory sticker



Order no.: 019175

Inspection sticker

Spare parts



Order no.: 030373

Retrofit stabiliser 0.93
m for glass-fibre
reinforced plastic
ladders



Order no.: 019199

Outside shoe for cross-
tube

Corporate certifications

on sustainability criteria

